0.Air Monitoring Summary Tables

The table below summarizes monitoring data collected using a portable wireless remote monitoring system. All times in Eastern Standard Time (EST).

From: 05/21/23 12:00 am *To:* 05/21/23

Offsite Monitors

Instrument	Analyte	ATSDR MRL 14-day Avg Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	ATSDR 14-day MRL	
Catawba Headstart							
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.00 ppb	70 ppb	
Treetops							
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.00 ppb	70 ppb	
Liberty Hill							
Acrulog PPB	H_2S	No	0 – 2 ppb	0.03 ppb	0.01 ppb	70 ppb	
Riverchase Estates							
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.00 ppb	70 ppb	
Millstone Creek							
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.00 ppb	70 ppb	

11:59 pm

Onsite Fenceline Monitors

Instrument	Analyte	30-min AEGL Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	30-min AEGL	
Station 1							
TAPI Analyzer	H_2S	No	0 – 7 ppb 1.19 ppb		1.35 ppb	600 ppb	
Station 2							
TAPI Analyzer	H_2S	No	0-2 ppb	0.27 ppb	0.38 ppb	600 ppb	
Station 3							
TAPI Analyzer	H_2S	No	0-2 ppb	0.41 ppb	0.67 ppb	600 ppb	
^a Based on 30-m	inute averages						


^a Based on 30-minute averages.

Notes:

ATSDR MRL	Agency for Toxic Substances and Disease Registry Minimal Risk Level (MRL)
AEGL	EPA Acute Exposure Guidelines Levels
H_2S	Hydrogen Sulfide
TAPI	Teledyne API H ₂ S Analyzer
hr	Hour
min	Minute
ppb	Parts per billion
MRL Limit	Limit defined as a 14-day average value.

Station 1 Wind Rose – Shows the direction the wind is coming from, the monitoring station being at the center of

the rose.






Period H₂S Monitoring Hydrogen Sulfide Offsite Monitors


Below are graphs for offsite locations where hydrogen sulfide (H_2S) was detected during the current reporting period.


The five stand-alone H_2S monitoring stations correlate with five previous EPA's Viper monitoring system which includes areas to the north-northeast and south-southwest of the New-Indy Catawba Mill.


Winds were coming from a variable direction throughout the day at 1 to 13 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.










Period H₂S Monitoring Hydrogen Sulfide Onsite Monitors


Below are graphs for onsite locations during the current reporting period.

Depending on wind direction, the H_2S measured at the onsite fence line locations may not exit the mill property at reported concentrations. Wind directions from offsite locations, blowing onto mill property, will disperse ambient concentrations to lower levels prior to exiting the plant site.

Winds were coming from a variable direction throughout the day at 1 to 13 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.





`

Submitted Fenceline H₂S and Met 30-minute Data

	Station 1			Station 2			Station 3		
30-Minute Avgs	H2S Met		H2S	H2S Met			H2S Met		
5/21/2023	30min Avg	30min Avg	30min Avg	30min Avg	30min Avg	30min Avg	30min Avg	30min Avg	30min Av
5/21/2025	H2S Conc.	WS	WD	H2S Conc.	WS	WD	H2S Conc.	WS	WD
Date / Time	ppb	mph	degrees	ppb	mph	degrees	ppb	mph	degrees
5/21/2023 0:30	BF	1.8	216	1.3	0.9	106	1.8	0.9	158
5/21/2023 1:00	BF	0.8	239	BF	0.7	81	1.3	0.5	31
5/21/2023 1:30	1.1	1.2	174	BF	0.3	104	BF	0.3	130
5/21/2023 2:00	0.7	0.8	177	1.7	0.4	44	BF	0.4	117
5/21/2023 2:30	0.8	1.1	251	0.7	0.5	18	1.3	0.5	75
5/21/2023 3:00	0.6	2.3	204	0.4	0.6	189	0.9	0.4	219
5/21/2023 3:30	0.6	1.5	174	0.2	0.6	122	2.1	0.6	92
5/21/2023 4:00	0.5	1.6	207	0.2	0.6	157	1.1	0.5	138
5/21/2023 4:30	0.5	0.7	131	0.2	0.6	87	0.7	0.4	130
5/21/2023 5:00	0.6	1.3	191	0.2	0.8	26	0.6	0.6	116
5/21/2023 5:30	0.4	2.5	72	0.2	1.0	40	0.6	0.7	30
5/21/2023 6:00	1.3	1.2	148	0.2	0.6	9	0.6	0.6	248
5/21/2023 6:30	3.2	3.6	24	0.2	0.3	79	0.5	0.8	27
5/21/2023 7:00	4.5	5.0	33	0.2	0.4	99	0.4	1.5	20
5/21/2023 7:30	7.1	6.9	24	0.2	1.0	58	0.2	2.7	7
5/21/2023 8:00	4.0	10.3	24	0.2	1.0	45	0.2	2.6	19
5/21/2023 8:30	2.8	11.0	25	0.2	2.2	29	0.2	3.4	24
5/21/2023 9:00	3.1	12.5	29	0.2	1.9	54	0.2	4.2	15
5/21/2023 9:30	2.1	12.3	31	0.2	1.8	45	0.2	4.5	31
5/21/2023 10:00	1.9	12.9	32	0.2	1.8	48	0.2	4.9	29
5/21/2023 10:00	1.5	12.9	28	0.2	2.7	37	0.2	4.3	23
5/21/2023 10:50	1.7	11.8	35	0.2	2.7	43	0.2	3.9	24
5/21/2023 11:30	1.4	11.6	36	0.2	2.6	25	0.2	3.7	5
5/21/2023 12:00	1.2	11.0	17	0.2	3.9	3	0.2	3.6	14
5/21/2023 12:30	1.0	8.0	31	0.2	1.1	56	0.2	2.5	31
5/21/2023 13:00	0.7	5.2	49	0.2	0.7	101	0.2	2.2	67
5/21/2023 13:30	0.7	2.5	120	0.2	1.3	138	0.2	1.9	80
5/21/2023 13:30	0.4	2.5	120	0.2	1.5	96	0.2	1.9	30
5/21/2023 14:30	0.4	5.2	64	0.2		53	0.2	2.7	33
5/21/2023 14:30	0.5	3.5	48	0.2	1.6 1.4	88	0.2	3.1	21
	0.6	4.2	48 53	0.2	2.1	33	0.2	2.9	52
5/21/2023 15:30 5/21/2023 16:00	0.0	4.2	53	0.2	1.1	76	0.2	3.5	61
5/21/2023 16:00	0.7	4.9	72	0.2	1.1	92	0.2	2.1	71
5/21/2023 17:00	0.4	3.0	99	0.2	1.1	121	0.2	2.1	66
5/21/2023 17:00	0.4	4.4	62	0.2	1.4	57	0.2	2.7	46
5/21/2023 18:00	0.4	4.4 5.1	54	0.2	0.9	93	0.2	2.4	40 59
5/21/2023 18:30	0.6	3.1	72	0.2	0.9	85	0.2	1.8	63
5/21/2023 19:00	0.5	2.8	101	0.2	0.5	67	0.2	0.7	41
5/21/2023 19:30	0.5	2.8	101	0.2	0.4	38	0.2	0.7	56
5/21/2023 19:30	0.5	2.0	133	0.2	0.4	41	0.2	0.8	3
5/21/2023 20:30	0.5	1.9	80	0.2	0.4	41	0.2	1.0	18
5/21/2023 20:30	0.5	1.9	59	0.2	0.4	40	0.2	0.7	351
5/21/2023 21:30	0.5	1.0	159	0.2	0.3	55	0.2	0.7	259
5/21/2023 22:00	0.4	1.2	159	0.2	0.4	55	0.2	0.3	259
5/21/2023 22:00	0.5	1.3	159	0.2	0.3	47	0.2	0.3	309
						35			
5/21/2023 23:00	0.5	1.0	131	0.2	0.3		0.2	0.3	330
5/21/2023 23:30 5/22/2023 0:00	0.5	0.7	180 181	0.2	0.5 0.3	13 35	0.2	0.4	315 302

AOS Null	AQS Null Data Codes					
Qualifier Code	Item Description					
AB	TECHNICIAN UNAVAILABLE					
AC	CONSTRUCTION/REPAIRS IN AREA					
AD	SHELTER STORM DAMAGE					
AE	SHELTER TEMPERATURE OUTSIDE LIMITS					
AI	INSUFFICIENT DATA (CAN'T CALCULATE)					
AM	MISCELLANEOUS VOID					
AN	MACHINE MALFUNCTION					
AO	BAD WEATHER					
AP	VANDALISM					
AS	POOR QUALITY ASSURANCE RESULTS					
AT	CALIBRATION					
AU	MONITORING WAIVED					
AV	POWER FAILURE (POWR)					
AW	WILDLIFE DAMAGE					
AX	PRECISION CHECK (PREC)					
AY	Q C CONTROL POINTS (ZERO/SPAN)					
AZ	Q C AUDIT (AUDT)					
BA	MAINTENANCE/ROUTINE REPAIRS					
BB	UNABLE TO REACH SITE					
BC	MULTI-POINT CALIBRATION					
BD	AUTO CALIBRATION					
BE	BUILDING/SITE REPAIR					
BF	PRECISION/ZERO/SPAN					
BJ	OPERATOR ERROR					
BK	SITE COMPUTER/DATA LOGGER DOWN					
EC	EXCEED CRITICAL CRITERIA					