Air Monitoring Summary Tables

The table below summarizes monitoring data collected using a portable wireless remote monitoring system. All times in Eastern Standard Time (EST).

From: 08/22/23 12:00 am *To:* 08/22/23 11:59 pm

Offsite Monitors

Catawba Headstart Acrulog PPB H ₂ S No 0 – 0 ppb 0.00 ppb ⁺ 0.18 ppb 70 p Treetops Acrulog PPB H ₂ S No 0 – 0 ppb 0.00 ppb 0.03 ppb 70 p	ATSDR 14-day MRL				
Treetops					
	opb				
Acrulog PPB H_2S No $0-0$ ppb 0.00 ppb 0.03 ppb 70 p					
	opb				
Liberty Hill					
Acrulog PPB H_2S No $0 - 0$ ppb 0.00 ppb $^{\circ}$ 0.07 ppb 70 p	opb				
Riverchase Estates					
Acrulog PPB H ₂ S No 0 – 4 ppb 0.31 ppb 0.33 ppb 70 p	opb				
Millstone Creek					
Acrulog PPB H_2S No $0-1$ ppb 0.02 ppb 0.05 ppb 70 p	opb				

^b The 24-hour average at Catawba Headstart is not represented by the full 24-hour period; a total of 2 30-minute average are missing from the reported period due to routine maintenance.

^c The 24-hour average at Liberty Hill is not represented by the full 24-hour period; a total of 2 30-minute average are missing from the reported period due to routine maintenance.


Onsite Fenceline Monitors

Instrument	Analyte	30-min AEGL Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	30-min AEGL	
Station 1							
TAPI Analyzer	H_2S	No	2 – 34 ppb	6.77 ppb	4.82 ppb	600 ppb	
Station 2							
TAPI Analyzer	H_2S	No	0 – 1 ppb	0.41 ppb	0.73 ppb	600 ppb	
Station 3							
TAPI Analyzer	H_2S	No	0 – 0 ppb	0.20 ppb	1.05 ppb	600 ppb	
Station 3	H_2S						

^a Based on 30-minute averages.

Notes:

ATSDR MRL AEGL	Agency for Toxic Substances and Disease Registry Minimal Risk Level (MRL) EPA Acute Exposure Guidelines Levels
HEGE H ₂ S	Hydrogen Sulfide
=	
TAPI	Teledyne API H ₂ S Analyzer
hr	Hour
min	Minute
ppb	Parts per billion
MRL Limit	Limit defined as a 14-day average value.



Station 1 Wind Rose – Shows the direction the wind is coming from, the monitoring station being at the center of the rose.


Period H₂S Monitoring Hydrogen Sulfide Offsite Monitors


Below are graphs for offsite locations where hydrogen sulfide (H_2S) was detected during the current reporting period.


The five stand-alone H_2S monitoring stations correlate with five previous EPA's Viper monitoring system which includes areas to the north-northeast and south-southwest of the New-Indy Catawba Mill.


Winds were coming from a variable direction throughout the day at 1 to 9 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.










Period H₂S Monitoring Hydrogen Sulfide Onsite Monitors


Below are graphs for onsite locations during the current reporting period.

Depending on wind direction, the H_2S measured at the onsite fence line locations may not exit the mill property at reported concentrations. Wind directions from offsite locations, blowing onto mill property, will disperse ambient concentrations to lower levels prior to exiting the plant site.

Winds were coming from a variable direction throughout the day at 1 to 9 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.





~ ~ ~ ~ ~	Station 1				Station 2			Station 3	
30-Minute Avgs	H2S	М	et	H2S	м	et	H2S	М	et
8/22/2023	30min Avg H2S Conc.	30min Avg WS	30min Avg WD	30min Avg H2S Conc.	30min Avg WS	30min Avg WD	30min Avg H2S Conc.	30min Avg WS	30min Avį WD
Date / Time	ppb	mph	degrees	ppb	mph	degrees	ppb	mph	degrees
8/22/2023 0:30	AX	1.3	196	0.2	0.3	323	0.2	0.2	88
8/22/2023 0:30	2.0	1.5	190	AX	0.3	25	0.2	0.2	219
8/22/2023 1:00	2.0	0.8	195	0.8	0.3	41	AX	0.3	35
8/22/2023 1:30	2.3	0.8	180	0.8	0.2	19	0.4	0.2	346
8/22/2023 2:30	1.9	0.9	177	0.5	0.3	39	0.4	0.2	55
	1.9	0.8	177	0.5	0.2	25	0.2	0.2	78
8/22/2023 3:00									49
8/22/2023 3:30	3.7	1.1	184	0.5	0.4	14	0.2	0.8	
8/22/2023 4:00	4.0	0.8	229	0.5	0.3	13	0.2	0.3	2
8/22/2023 4:30	5.0	0.8	254	0.4	0.3	36	0.2	0.5	36
8/22/2023 5:00	9.9	0.8	142	0.5	0.2	70	0.2	0.2	67
8/22/2023 5:30	10.2	0.6	169	0.5	0.3	15	0.2	0.3	23
8/22/2023 6:00	26.0	1.5	53	0.4	0.2	36	0.2	0.4	56
8/22/2023 6:30	29.7	2.2	58	0.5	0.2	34	0.2	0.3	85
8/22/2023 7:00	23.2	0.9	54	0.5	0.2	336	0.2	0.3	66
8/22/2023 7:30	33.5	3.1	40	0.5	0.8	353	0.2	1.5	2
8/22/2023 8:00	6.2	6.7	21	0.5	0.9	342	0.2	1.4	336
8/22/2023 8:30	3.6	6.8	14	0.6	2.2	336	0.2	1.8	337
8/22/2023 9:00	3.3	7.2	24	0.6	2.4	332	0.2	2.1	353
8/22/2023 9:30	3.4	6.7	11	0.5	2.3	354	0.2	2.5	6
8/22/2023 10:00	4.2	6.1	30	0.5	1.2	64	0.2	2.8	45
8/22/2023 10:30	2.6	5.6	28	0.6	1.2	77	0.2	2.2	25
8/22/2023 11:00	1.6	6.4	14	0.6	2.2	350	0.2	2.2	3
8/22/2023 11:30	2.4	6.5	23	0.6	3.4	332	0.2	2.7	8
8/22/2023 12:00	2.2	5.9	17	0.6	3.7	317	0.2	2.6	2
8/22/2023 12:30	1.8	5.8	8	0.5	3.5	338	0.2	2.6	360
8/22/2023 13:00	1.8	5.0	30	0.5	3.3	322	0.2	2.5	4
8/22/2023 13:30	2.0	6.3	15	0.5	2.8	7	0.2	2.3	2
8/22/2023 14:00	2.3	7.8	21	0.4	4.2	341	0.2	2.9	0
8/22/2023 14:30	2.5	7.0	21	0.4	2.4	29	0.2	2.5	25
8/22/2023 15:00	2.2	5.8	359	0.2	1.6	73	0.2	2.2	358
8/22/2023 15:30	2.3	5.1	17	0.2	1.2	66	0.2	2.3	35
8/22/2023 16:00	2.8	7.5	14	0.2	3.1	340	0.2	2.0	351
8/22/2023 16:30	4.8	7.2	17	0.2	3.3	347	0.2	1.9	2
8/22/2023 17:00	3.2	8.5	6	0.2	3.2	352	0.2	1.9	349
8/22/2023 17:30	4.0	8.9	355	0.2	3.0	353	0.2	2.1	346
8/22/2023 17:30	4.0	7.9	339	0.2	3.0	353	0.2	1.1	340
8/22/2023 18:00	1.7	5.5	338	0.2	2.0	341	0.2	0.4	283
8/22/2023 19:00	6.0	6.1	2	0.2	0.5	57	0.2	0.4	305
8/22/2023 19:30	17.4	3.6	23	0.2	0.3	65	0.2	0.2	305
8/22/2023 19:30	6.5	1.4	117	0.2	0.2	78	0.2	0.2	358
8/22/2023 20:00	8.9	1.4	117	0.2	0.2	61	0.2	0.2	17
8/22/2023 20:30	12.3	1.5	169	0.2	0.2	63	0.2	0.3	20
8/22/2023 21:00					0.2		0.2		
	12.2	1.3	168	0.2		43		0.3	53
8/22/2023 22:00	8.6	1.2	184	0.4	0.3	79	0.2	0.2	47
8/22/2023 22:30	9.7	1.3	184	0.5	0.2	9	0.2	0.3	8
8/22/2023 23:00	6.8	1.1	175	0.4	0.2	52	0.2	0.3	46
8/22/2023 23:30	6.1	0.9	186	0.4	0.4	26 6	0.2	0.3	22

Submitted Fenceline H₂S and Met 30-minute Data

AQS Null Data Codes					
Qualifier Code	Item Description				
AB	TECHNICIAN UNAVAILABLE				
AC	CONSTRUCTION/REPAIRS IN AREA				
AD	SHELTER STORM DAMAGE				
AE	SHELTER TEMPERATURE OUTSIDE LIMITS				
AI	INSUFFICIENT DATA (CAN'T CALCULATE)				
AM	MISCELLANEOUS VOID				
AN	MACHINE MALFUNCTION				
AO	BAD WEATHER				
AP	VANDALISM				
AS	POOR QUALITY ASSURANCE RESULTS				
AT	CALIBRATION				
AU	MONITORING WAIVED				
AV	POWER FAILURE (POWR)				
AW	WILDLIFE DAMAGE				
AX	PRECISION CHECK (PREC)				
AY	Q C CONTROL POINTS (ZERO/SPAN)				
AZ	Q C AUDIT (AUDT)				
BA	MAINTENANCE/ROUTINE REPAIRS				
BB	UNABLE TO REACH SITE				
BC	MULTI-POINT CALIBRATION				
BD	AUTO CALIBRATION				
BE	BUILDING/SITE REPAIR				
BF	PRECISION/ZERO/SPAN				
BJ	OPERATOR ERROR				
BK	SITE COMPUTER/DATA LOGGER DOWN				
EC	EXCEED CRITICAL CRITERIA				