Air Monitoring Summary Tables

The table below summarizes monitoring data collected using a portable wireless remote monitoring system. All times in Eastern Standard Time (EST).

From: 10/09/23 12:00 am To: 10/09/23 11:59 pm

Offsite Monitors

Instrument	Analyte	ATSDR MRL 14-day Avg Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	ATSDR 14-day MRL	
Catawba Headstart							
Acrulog PPB	H_2S	No	0 – 5 ppb	0.24 ppb	0.04 ppb	70 ppb	
Treetops							
Acrulog PPB	H_2S	No $0-1 \text{ ppb}$ 0.02 ppb		0.02 ppb	0.00 ppb	70 ppb	
Liberty Hill							
Acrulog PPB	H_2S	No	0-0 ppb 0.00 ppb		0.04 ppb	70 ppb	
Riverchase Estates							
Acrulog PPB	H_2S	No	0 – 1 ppb	0.02 ppb	0.18 ppb	70 ppb	
Millstone Creek							
Acrulog PPB	H_2S	No	0-0 ppb	0.00 ppb	0.00 ppb	70 ppb	

Onsite Fenceline Monitors

Instrument	Analyte	30-min AEGL Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	30-min AEGL	
Station 1							
TAPI Analyzer	H_2S	No	1 − 2 ppb	1.37 ppb	3.27 ppb	600 ppb	
Station 2							
TAPI Analyzer	H_2S	No	0 – 3 ppb	0.79 ppb	0.60 ppb	600 ppb	
Station 3							
TAPI Analyzer	H_2S	No	0 – 5 ppb 1.29 ppb 0.38 ppb		0.38 ppb	600 ppb	

^a Based on 30-minute averages.

Notes:

ATSDR MRL Agency for Toxic Substances and Disease Registry Minimal Risk Level (MRL)

AEGL EPA Acute Exposure Guidelines Levels


H₂S Hydrogen Sulfide

TAPI Teledyne API H₂S Analyzer

hr Hour min Minute ppb Parts per billion

MRL Limit Limit defined as a 14-day average value.

Station 1 Wind Rose – Shows the direction the wind is coming from, the monitoring station being at the center of the rose.





Legend



Offsite Fixed Monitoring Locations



Onsite Fixed Monitoring Locations



New-Indy Catawba


Period H₂S Monitoring Hydrogen Sulfide Offsite Monitors

Below are graphs for offsite locations where hydrogen sulfide (H₂S) was detected during the current reporting period.


The five stand-alone H₂S monitoring stations correlate with five previous EPA's Viper monitoring system which includes areas to the north-northeast and south-southwest of the New-Indy Catawba Mill.

Winds were predominantly coming from the south and south-southwest direction throughout the day at 1 to 10 mph.


See wind rose diagram with aerial map figure for full wind data during this reporting period.




Treetops - 10/9/2023




Liberty Hill - 10/9/2023



Riverchase - 10/9/2023



Millstone Creek - 10/9/2023




Period H₂S Monitoring Hydrogen Sulfide Onsite Monitors


Below are graphs for onsite locations during the current reporting period.


Depending on wind direction, the H_2S measured at the onsite fence line locations may not exit the mill property at reported concentrations. Wind directions from offsite locations, blowing onto mill property, will disperse ambient concentrations to lower levels prior to exiting the plant site.

Winds were predominantly coming from the south and south-southwest direction throughout the day at 1 to 10 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.







Submitted Fenceline H₂S and Met 30-minute Data

		Station 1			Station 2			Station 3	
30-Minute Avgs	H2S Met		H2S Met		H2S Met				
40/0/2022	30min Avg	20min Aug	min Avg 30min Avg	20	30min Avg 30min Avg		20	30min Avg 30min Avg	
10/9/2023	H2S Conc.	WS	WD WD	30min Avg H2S Conc.	WS	WD WD	30min Avg H2S Conc.	WS	WD
Date / Time		mph	degrees		mph	degrees		mph	degrees
10/9/2023 0:30	ppb AX	1.5	173	ppb 0.2	0.3	2	ppb 0.2	0.2	325
10/9/2023 1:00 10/9/2023 1:30	2.3	1.9	183 174	AX	0.3	8	0.2	0.2	325
	2.1	1.1		0.9	0.8	19	AX	0.4	350
10/9/2023 2:00	1.9	1.7	183	0.7	0.3	30 7	0.5	0.2	40
10/9/2023 2:30	1.9	1.3	182	1.5	0.6		0.7	0.3	318
10/9/2023 3:00	1.7	1.4	183	1.7	0.7	34	3.1	0.3	14
10/9/2023 3:30	1.5	1.7	187	2.4	0.4	28	4.4	0.3	113
10/9/2023 4:00	1.7	1.1	177	1.7	0.8	7	3.3	0.4	4
10/9/2023 4:30	1.8	1.9	193	1.5	0.3	353	3.8	0.3	113
10/9/2023 5:00	1.6	1.6	191	1.5	0.3	6	2.1	0.2	56
10/9/2023 5:30	1.6	1.2	182	1.3	0.4	357	1.2	0.2	29
10/9/2023 6:00	1.6	1.5	185	0.9	0.5	4	0.8	0.3	95
10/9/2023 6:30	1.5	2.0	193	0.7	0.2	317	0.6	0.5	139
10/9/2023 7:00	1.4	1.0	200	0.7	0.3	298	0.4	0.4	96
10/9/2023 7:30	1.4	0.7	196	0.6	0.3	301	0.2	0.2	81
10/9/2023 8:00	1.4	0.7	180	0.5	0.5	286	0.2	0.2	94
10/9/2023 8:30	1.5	1.3	188	0.7	0.7	246	4.6	1.3	188
10/9/2023 9:00	1.5	2.7	182	0.8	1.4	205	4.6	1.5	184
10/9/2023 9:30	1.3	6.1	176	0.8	3.0	192	0.4	2.9	197
10/9/2023 10:00	1.2	6.1	173	0.7	3.4	207	0.7	3.1	187
10/9/2023 10:30	1.0	6.4	209	0.7	4.2	206	0.6	3.6	211
10/9/2023 11:00	0.9	6.8	207	0.6	4.3	218	1.1	3.7	212
10/9/2023 11:30	1.2	6.7	205	0.5	4.6	210	1.0	3.8	215
10/9/2023 12:00	1.1	9.1	176	0.4	5.4	207	0.6	4.7	202
10/9/2023 12:30	1.2	9.1	197	0.5	5.4	201	0.7	4.6	198
10/9/2023 13:00	1.2	8.7	209	0.4	5.5	218	1.4	5.4	207
10/9/2023 13:30	1.2	9.2	210	0.5	5.8	216	1.6	4.6	213
10/9/2023 14:00	1.2	8.7	202	0.5	5.2	208	1.6	5.1	211
10/9/2023 14:30	1.2	9.6	204	1.0	6.0	218	2.3	5.2	210
10/9/2023 15:00	1.1	10.1	219	0.8	7.0	229	2.4	5.7	219
10/9/2023 15:30	1.2	8.9	210	0.7	6.2	222	3.1	5.4	222
10/9/2023 16:00	1.3	9.8	199	0.5	6.3	211	2.8	5.0	224
10/9/2023 16:30	1.2	8.3	205	0.4	4.7	214	3.3	4.6	219
10/9/2023 10:30	1.1	6.7	190	0.4	4.7	207	1.1	3.9	204
10/9/2023 17:30	1.2	5.6	185	0.4	3.3	202	0.8	2.3	204
10/9/2023 17:30	1.3	4.1	193	0.4	1.8	184	0.8	1.2	194
10/9/2023 18:30	1.3	4.1	195	0.4	1.5	156	0.2	0.5	139
10/9/2023 18:30	1.3	3.1	187	0.5	0.5	104	0.2	0.5	175
10/9/2023 19:30	1.3	1.9	180	0.5	0.5	40	0.2	0.3	156
10/9/2023 20:00	1.4	2.9	180	0.5	1.2	260	0.2	0.9	277
10/9/2023 20:30	1.1	2.0	192	0.5	0.6	104	0.2	0.3	158
10/9/2023 21:00	1.2	2.6	205	0.5	0.4	25	0.2	0.3	70
10/9/2023 21:30	1.2	3.3	202	0.6	0.7	50	0.2	0.8	68
10/9/2023 22:00	1.3	2.1	195	0.6	1.0	79	0.2	0.8	66
10/9/2023 22:30	1.2	1.8	179	0.5	0.9	153	0.2	0.5	152
10/9/2023 23:00	1.3	3.5	192	0.5	0.5	210	0.2	0.3	82
10/9/2023 23:30	1.3	2.9	191	2.8	0.9	202	0.9	0.5	105
10/10/2023 0:00	1.2	3.3	186	0.7	1.1	181	1.3	0.4	138

AQS Null Data Codes					
Qualifier Code	Item Description				
AB	TECHNICIAN UNAVAILABLE				
AC	CONSTRUCTION/REPAIRS IN AREA				
AD	SHELTER STORM DAMAGE				
AE	SHELTER TEMPERATURE OUTSIDE LIMITS				
AI	INSUFFICIENT DATA (CAN'T CALCULATE)				
AM	MISCELLANEOUS VOID				
AN	MACHINE MALFUNCTION				
AO	BAD WEATHER				
AP	VANDALISM				
AS	POOR QUALITY ASSURANCE RESULTS				
AT	CALIBRATION				
AU	MONITORING WAIVED				
AV	POWER FAILURE (POWR)				
AW	WILDLIFE DAMAGE				
AX	PRECISION CHECK (PREC)				
AY	Q C CONTROL POINTS (ZERO/SPAN)				
AZ	Q C AUDIT (AUDT)				
BA	MAINTENANCE/ROUTINE REPAIRS				
BB	UNABLE TO REACH SITE				
BC	MULTI-POINT CALIBRATION				
BD	AUTO CALIBRATION				
BE	BUILDING/SITE REPAIR				
BF	PRECISION/ZERO/SPAN				
BJ	OPERATOR ERROR				
BK	SITE COMPUTER/DATA LOGGER DOWN				
EC	EXCEED CRITICAL CRITERIA				