Air Monitoring Summary Tables

The table below summarizes monitoring data collected using a portable wireless remote monitoring system. All times in Eastern Standard Time (EST).

From: 10/27/23 12:00 am

10/27/23 11:59 pm

Offsite Monitors

Instrument	Analyte	ATSDR MRL 14-day Avg Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	ATSDR 14-day MRL
Catawba Headsta	art					
Acrulog PPB	H_2S	No	0-4 ppb	0.17 ppb	0.02 ppb	70 ppb
Treetops						
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.00 ppb	70 ppb
Liberty Hill						
Acrulog PPB	H_2S	No	0 - 0 ppb	0.00 ppb	0.01 ppb	70 ppb
Riverchase Estat	es					
Acrulog PPB	H_2S	No	0-0 ppb	0.00 ppb	0.08 ppb	70 ppb
Millstone Creek						
Acrulog PPB	H_2S	No	0 – 1 ppb	0.02 ppb	0.01 ppb	70 ppb

To:

Onsite Fenceline Monitors


Instrument	Analyte	30-min AEGL Reached?	Concentration Range Detected ^a 24-hr Average ^a		7-day Average	30-min AEGL	
Station 1							
TAPI Analyzer	H_2S	No	0 – 47 ppb 7.15 ppb 5.71 ppb		600 ppb		
Station 2							
TAPI Analyzer	H_2S	No	1 – 3 ppb	1.01 ppb	0.92 ppb	600 ppb	
Station 3							
TAPI Analyzer	H_2S	No	0 – 8 ppb	1.82 ppb	0.71 ppb	600 ppb	
		No	0 – 8 ppb	1.82 ppb	0.71 ppb	600 ppb	


^a Based on 30-minute averages.

Notes:

ATSDR MRL AEGL	Agency for Toxic Substances and Disease Registry Minimal Risk Level (MRL) EPA Acute Exposure Guidelines Levels
H ₂ S	Hydrogen Sulfide
TAPI	Teledyne API H ₂ S Analyzer
hr	Hour
min	Minute
ppb	Parts per billion
MRL Limit	Limit defined as a 14-day average value.

Station 1 Wind Rose – Shows the direction the wind is coming from, the monitoring station being at the center of the rose.






Period H₂S Monitoring Hydrogen Sulfide Offsite Monitors


Below are graphs for offsite locations where hydrogen sulfide (H_2S) was detected during the current reporting period.


The five stand-alone H_2S monitoring stations correlate with five previous EPA's Viper monitoring system which includes areas to the north-northeast and south-southwest of the New-Indy Catawba Mill.


Winds were predominantly coming from the south-southeast, south, south-southwest, and southwest direction throughout the day at 1 to 6 mph.


See wind rose diagram with aerial map figure for full wind data during this reporting period.












Period H₂S Monitoring Hydrogen Sulfide Onsite Monitors


Below are graphs for onsite locations during the current reporting period.

Depending on wind direction, the H_2S measured at the onsite fence line locations may not exit the mill property at reported concentrations. Wind directions from offsite locations, blowing onto mill property, will disperse ambient concentrations to lower levels prior to exiting the plant site.

Winds were predominantly coming from the south-southeast, south, south-southwest, and southwest direction throughout the day at 1 to 6 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.





		Station 1			Station 2			Station 3	
30-Minute Avgs	H2S	M	et	H2S	М	et	H2S	M	et
10/27/2023	30min Avg	30min Avg	30min Avg	30min Avg	0	30min Avg	30min Avg		30min Avg
	H2S Conc.	WS	WD	H2S Conc.	WS	WD	H2S Conc.	WS	WD
Date / Time	ppb	mph	degrees	ppb	mph	degrees	ppb	mph	degrees
10/27/2023 0:30	AX	1.6	198	0.9	0.2	16	0.7	0.2	31
10/27/2023 1:00	1.1	1.8	197	AX	0.4	32	0.9	0.2	8
10/27/2023 1:30	1.9	1.2	181	0.7	0.2	29	AX	0.2	34
10/27/2023 2:00	1.4	1.2	194	0.9	0.4	33	0.9	0.5	19
10/27/2023 2:30	2.0	1.1	164	1.0	0.2	29	0.9	0.3	68
10/27/2023 3:00	0.6	1.2	195	0.9	0.2	10	0.7	0.3	2
10/27/2023 3:30	2.3	1.3	197	0.8	0.2	6	0.7	0.2	17
10/27/2023 4:00	2.4	1.2	180	0.9	0.2	24	0.7	0.2	44
10/27/2023 4:30	3.5	1.2	174	1.0	0.2	15	0.4	0.3	56
10/27/2023 5:00	2.6	1.0	183	0.8	0.3	44	0.2	0.2	61
10/27/2023 5:30	1.1	1.6	201	0.6	0.3	355	0.4	0.3	354
10/27/2023 6:00	2.7	0.7	191	0.7	0.3	12	0.8	0.2	35
10/27/2023 6:30	0.7	1.0	201	0.9	0.6	13	0.7	0.3	24
10/27/2023 7:00	2.4	0.9	177	1.1	0.7	23	1.0	0.5	23
10/27/2023 7:30	8.5	1.0	339	1.7	0.6	30	3.3	0.6	19
10/27/2023 8:00	27.1	0.9	51	1.6	1.0	7	0.6	0.5	71
10/27/2023 8:30	38.2	0.5	53	0.9	0.7	346	0.8	0.6	87
10/27/2023 9:00	46.5	0.9	22	1.1	0.6	15	1.7	1.1	27
10/27/2023 9:30	27.8	0.8	45	1.1	0.6	70	1.3	1.2	34
10/27/2023 10:00	10.3	1.3	155	1.8	1.2	141	1.1	1.5	30
10/27/2023 10:30	3.4	3.1	184	3.0	2.6	201	5.3	1.3	128
10/27/2023 11:00	0.9	4.6	262	2.3	2.6	204	2.0	1.9	336
10/27/2023 11:30	0.8	2.3	288	2.1	2.4	274	0.2	1.1	1
10/27/2023 12:00	3.6	2.7	198	1.3	2.2	180	4.0	1.8	80
10/27/2023 12:30	0.4	2.7	318	1.1	3.2	236	4.1	2.3	208
10/27/2023 13:00	1.9	3.8	195	1.2	2.8	322	0.4	1.7	354
10/27/2023 13:30	0.2	5.6	316	0.5	3.4	304	0.2	0.6	325
10/27/2023 14:00	0.7	3.6	265	0.5	2.0	296	0.2	0.9	64
10/27/2023 14:30	0.9	5.0	201	0.6	3.8	204	0.7	2.0	288
10/27/2023 15:00	0.4	6.0	201	0.5	4.6	226	1.4	3.3	206
10/27/2023 15:30	1.4	5.2	193	0.5	3.7	209	0.9	2.1	210
10/27/2023 16:00	1.3	3.1	234	0.9	4.3	227	2.7	2.3	227
10/27/2023 16:30	5.8	2.3	184	1.9	2.4	204	2.3	1.1	225
10/27/2023 17:00	6.8	3.1	193	0.5	1.5	196	6.8	0.5	251
10/27/2023 17:30	1.8	3.2	180	0.5	1.6	168	6.1	0.4	267
10/27/2023 18:00	0.6	2.2	203	0.7	0.2	102	7.7	0.3	290
10/27/2023 18:30	0.2	2.7	213	0.7	0.3	73	4.8	0.2	14
10/27/2023 19:00	1.6	2.4	225	0.6	0.2	68	2.6	0.4	32
10/27/2023 19:30	4.3	1.9	187	0.6	0.2	99	1.2	0.3	61
10/27/2023 20:00	1.0	1.9	215	0.8	0.3	335	1.7	0.3	10
10/27/2023 20:30	9.0	1.1	176	0.9	0.3	48	1.3	0.3	47
10/27/2023 21:00	14.6	1.6	191	0.9	0.3	38	1.8	0.3	290
10/27/2023 21:30	23.7	1.9	198	0.9	0.3	183	1.9	0.2	185
10/27/2023 22:00	15.1	1.4	208	1.3	0.4	290	2.0	0.3	300
10/27/2023 22:30	17.1	1.6	186	1.0	0.3	177	1.9	0.3	230
10/27/2023 23:00	17.4	1.8	206	1.0	0.4	345	1.6	0.3	168
10/27/2023 23:30	16.9	1.9	191	0.7	0.2	299	0.9	0.2	184
10/28/2023 0:00	1.3	1.6	211	0.7	0.4	278	0.9	0.2	189

Submitted Fenceline H₂S and Met 30-minute Data

AQS Null	AQS Null Data Codes					
Qualifier Code	Item Description					
AB	TECHNICIAN UNAVAILABLE					
AC	CONSTRUCTION/REPAIRS IN AREA					
AD	SHELTER STORM DAMAGE					
AE	SHELTER TEMPERATURE OUTSIDE LIMITS					
AI	INSUFFICIENT DATA (CAN'T CALCULATE)					
AM	MISCELLANEOUS VOID					
AN	MACHINE MALFUNCTION					
AO	BAD WEATHER					
AP	VANDALISM					
AS	POOR QUALITY ASSURANCE RESULTS					
AT	CALIBRATION					
AU	MONITORING WAIVED					
AV	POWER FAILURE (POWR)					
AW	WILDLIFE DAMAGE					
AX	PRECISION CHECK (PREC)					
AY	Q C CONTROL POINTS (ZERO/SPAN)					
AZ	Q C AUDIT (AUDT)					
BA	MAINTENANCE/ROUTINE REPAIRS					
BB	UNABLE TO REACH SITE					
BC	MULTI-POINT CALIBRATION					
BD	AUTO CALIBRATION					
BE	BUILDING/SITE REPAIR					
BF	PRECISION/ZERO/SPAN					
BJ	OPERATOR ERROR					
BK	SITE COMPUTER/DATA LOGGER DOWN					
EC	EXCEED CRITICAL CRITERIA					