Air Monitoring Summary Tables

The table below summarizes monitoring data collected using a portable wireless remote monitoring system. All times in Eastern Standard Time (EST).

From: 10/29/23 12:00 am To: 10/29/23 11:59 pm

Offsite Monitors

Instrument	Analyte	ATSDR MRL 14-day Avg Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	ATSDR 14-day MRL	
Catawba Headstart							
Acrulog PPB	H_2S	No	0 – 5 ppb	0.51 ppb	0.15 ppb	70 ppb	
Treetops							
Acrulog PPB	H_2S	No	0-0 ppb	0.00 ppb	0.00 ppb	70 ppb	
Liberty Hill							
Acrulog PPB	H_2S	No $0-0 \text{ ppb}$ 0.00 ppb		0.00 ppb	0.00 ppb	70 ppb	
Riverchase Estates							
Acrulog PPB	H_2S	No	No $0-2 \text{ ppb}$		0.06 ppb	70 ppb	
Millstone Creek							
Acrulog PPB	H_2S	No	0-0 ppb	0 – 0 ppb 0.00 ppb 0.01 ppb		70 ppb	

Onsite Fenceline Monitors

Instrument	Analyte	30-min AEGL Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	30-min AEGL	
Station 1							
TAPI Analyzer	H_2S	No	0 – 15 ppb 2.58 ppb		6.29 ppb	600 ppb	
Station 2							
TAPI Analyzer	H_2S	No	1 – 13 ppb	2.86 ppb	0.96 ppb	600 ppb	
Station 3							
TAPI Analyzer	H_2S	No	0 – 13 ppb 2.42 ppb 0.87 ppb		0.87 ppb	600 ppb	

^a Based on 30-minute averages.

Notes:

ATSDR MRL Agency for Toxic Substances and Disease Registry Minimal Risk Level (MRL)

AEGL EPA Acute Exposure Guidelines Levels


H₂S Hydrogen Sulfide

TAPI Teledyne API H₂S Analyzer

hr Hour
min Minute
ppb Parts per billion

MRL Limit Limit defined as a 14-day average value.

Station 1 Wind Rose – Shows the direction the wind is coming from, the monitoring station being at the center of the rose.





Legend



Offsite Fixed Monitoring Locations



Onsite Fixed Monitoring Locations



New-Indy Catawba


Period H₂S Monitoring Hydrogen Sulfide Offsite Monitors

Below are graphs for offsite locations where hydrogen sulfide (H₂S) was detected during the current reporting period.

The five stand-alone H₂S monitoring stations correlate with five previous EPA's Viper monitoring system which includes areas to the north-northeast and south-southwest of the New-Indy Catawba Mill.


Winds were predominantly coming from the south, south-southwest, and southwest direction throughout the day at 1 to 10 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.




Treetops - 10/29/2023 80 70 70 Gal 60 Uo 150 YE 10 0:00 2:00 4:00 6:00 8:00 10:00 12:00 14:00 16:00 18:00 20:00 22:00


Time (EST)



Riverchase - 10/29/2023



Millstone Creek - 10/29/2023




Period H₂S Monitoring Hydrogen Sulfide Onsite Monitors


Below are graphs for onsite locations during the current reporting period.


Depending on wind direction, the H_2S measured at the onsite fence line locations may not exit the mill property at reported concentrations. Wind directions from offsite locations, blowing onto mill property, will disperse ambient concentrations to lower levels prior to exiting the plant site.

Winds were predominantly coming from the south, south-southwest, and southwest direction throughout the day at 1 to 10 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.







Submitted Fenceline H₂S and Met 30-minute Data

	Station 1			Station 2			Station 3		
30-Minute Avgs	H2S Met		H2S Met		H2S Met				
10/29/2023	30min Avg	30min Avg	Ū	30min Avg	30min Avg	_	30min Avg	30min Avg	•
/	H2S Conc.	WS	WD .	H2S Conc.	WS	WD .	H2S Conc.	WS	WD .
Date / Time	ppb	mph	degrees	ppb	mph	degrees	ppb	mph	degrees
10/29/2023 0:30	BF	1.1	185	0.7	0.2	36	0.9	0.2	45
10/29/2023 1:00	BF	1.2	160	BF	0.2	56	0.2	0.4	84
10/29/2023 1:30	2.2	1.4	190	BF	0.2	25	BF	0.2	97
10/29/2023 2:00	3.8	1.2	191	2.4	0.2	22	BF	0.2	92
10/29/2023 2:30	3.0	1.3	195	1.2	0.2	26	1.4	0.2	55
10/29/2023 3:00	11.5	1.8	192	0.9	0.3	21	0.4	0.3	35
10/29/2023 3:30	3.7	1.5	209	0.7	0.2	334	0.5	0.2	138
10/29/2023 4:00	0.2	1.2	210	0.7	0.2	292	0.4	0.2	40
10/29/2023 4:30	3.1	1.3	205	0.6	0.4	49	0.2	0.2	43
10/29/2023 5:00	8.3	0.7	179	0.6	0.2	25	0.2	0.3	8
10/29/2023 5:30	10.3	1.7	182	0.6	0.5	206	0.5	0.3	219
10/29/2023 6:00	0.5	1.7	210	0.6	0.4	278	0.5	0.3	283
10/29/2023 6:30	0.2	1.3	202	0.6	0.3	48	0.2	0.2	61
10/29/2023 7:00	2.1	1.3	194	0.6	0.2	348	0.5	0.2	9
10/29/2023 7:30	6.0	0.9	191	0.7	0.3	53	0.2	0.2	74
10/29/2023 8:00	8.8	1.9	208	0.7	0.4	259	0.4	0.3	154
10/29/2023 8:30	14.6	3.2	203	1.1	2.4	199	2.6	1.1	202
10/29/2023 9:00	9.7	4.3	204	0.8	4.0	208	4.0	2.3	204
10/29/2023 9:30	6.3	3.9	196	0.8	4.1	215	5.2	2.8	203
10/29/2023 10:00	8.4	5.0	199	0.9	4.4	214	6.1	3.4	216
10/29/2023 10:30	2.9	6.8	219	4.2	6.6	236	4.2	3.4	235
10/29/2023 11:00	2.1	7.1	231	5.0	7.6	241	1.7	3.2	238
10/29/2023 11:30	1.7	8.8	228	2.7	7.4	236	0.2	4.3	246
10/29/2023 12:00	1.0	8.0	244	5.4	8.7	243	0.2	4.9	244
10/29/2023 12:30	1.0	9.0	236	7.1	8.9	243	0.9	4.3	247
10/29/2023 13:00	0.7	9.2	247	3.9	7.3	236	0.4	3.7	253
10/29/2023 13:30	0.6	9.6	238	4.8	7.2	247	0.2	4.4	255
10/29/2023 14:00	0.4	7.9	250	3.1	6.7	246	0.2	3.8	243
10/29/2023 14:30	0.4	6.4	233	4.4	6.1	240	0.6	2.9	252
10/29/2023 15:00	0.4	6.2	225	6.9	5.4	246	0.6	3.7	238
10/29/2023 15:30	0.4	5.9	238	4.5	6.7	244	0.4	2.9	241
10/29/2023 16:00 10/29/2023 16:30	0.2	5.7 6.2	233 223	5.4 7.2	5.7 4.8	243 235	0.5	2.7	249 247
· ·	0.2	3.6	223	13.2	3.7	235	0.4	1.6	258
10/29/2023 17:00									
10/29/2023 17:30	0.5	2.8	205	5.0	1.2	155	0.2	0.3	284
10/29/2023 18:00	0.2	2.3	186	3.3	0.3	77	0.6	0.3	291
10/29/2023 18:30	0.2	2.3	202	3.5	0.2	90	1.5	0.3	360
10/29/2023 19:00	0.2	2.7	218	4.5	0.2	83	1.7	0.2	354
10/29/2023 19:30	0.2	2.4	197	2.7	0.2	80	2.5	0.2	34
10/29/2023 20:00	0.2	2.4	215	2.1	0.5	325	4.2	0.3	7
10/29/2023 20:30	0.2	2.5	227	1.7	0.3	213	5.0	0.4	211
10/29/2023 21:00	0.2	2.2	202	1.8	0.2	210	5.7	0.2	204
10/29/2023 21:30	0.2	1.5	196	3.1	0.2	199	8.6	0.2	263
10/29/2023 22:00	0.2	1.6	186	4.8	0.2	199	11.7	0.2	280
10/29/2023 22:30	0.2	2.3	201	1.5	0.2	201	13.3	0.3	230
10/29/2023 23:00	0.9	0.7	103	1.9	0.2	194	11.4	0.3	181
10/29/2023 23:30	0.2	2.1	192	1.5	0.2	27	4.5	0.3	103
10/30/2023 0:00	0.2	2.1	196	1.1	0.2	259	4.9	0.2	199

AQS Null Data Codes					
Qualifier Code	Item Description				
AB	TECHNICIAN UNAVAILABLE				
AC	CONSTRUCTION/REPAIRS IN AREA				
AD	SHELTER STORM DAMAGE				
AE	SHELTER TEMPERATURE OUTSIDE LIMITS				
AI	INSUFFICIENT DATA (CAN'T CALCULATE)				
AM	MISCELLANEOUS VOID				
AN	MACHINE MALFUNCTION				
AO	BAD WEATHER				
AP	VANDALISM				
AS	POOR QUALITY ASSURANCE RESULTS				
AT	CALIBRATION				
AU	MONITORING WAIVED				
AV	POWER FAILURE (POWR)				
AW	WILDLIFE DAMAGE				
AX	PRECISION CHECK (PREC)				
AY	Q C CONTROL POINTS (ZERO/SPAN)				
AZ	Q C AUDIT (AUDT)				
BA	MAINTENANCE/ROUTINE REPAIRS				
BB	UNABLE TO REACH SITE				
BC	MULTI-POINT CALIBRATION				
BD	AUTO CALIBRATION				
BE	BUILDING/SITE REPAIR				
BF	PRECISION/ZERO/SPAN				
BJ	OPERATOR ERROR				
BK	SITE COMPUTER/DATA LOGGER DOWN				
EC	EXCEED CRITICAL CRITERIA				