Air Monitoring Summary Tables

The table below summarizes monitoring data collected using a portable wireless remote monitoring system. All times in Eastern Standard Time (EST).

From: 02/05/24 12:00 am To: 02/05/24 11:59 pm

Offsite Monitors

Instrument	Analyte	ATSDR MRL 14-day Avg Reached?	Concentration Range Detected ^a	24-hr Average ^a	7-day Average	ATSDR 14-day MRL	
Catawba Headstart							
Acrulog PPB	H_2S	No	No $0-0$ ppb		0.00 ppb 0.17 ppb		
Acrulog PPB H_2S No $0-0 \text{ ppb}$ 0.00 ppb 0.17 ppb 70 ppb Treetops							
Acrulog PPB	H_2S	No $0 - 0 \text{ ppb}$ 0.00 ppb 0.0		0.00 ppb	70 ppb		
Liberty Hill							
Acrulog PPB	H_2S	No	0-0 ppb	0.00 ppb	0.06 ppb	70 ppb	
Riverchase Estates							
Acrulog PPB	H_2S	No	0-0 ppb $0.00 ppb$		0.00 ppb	70 ppb	
Millstone Creek	Millstone Creek						
Acrulog PPB	H_2S	No	0-0 ppb	0.00 ppb	0.00 ppb	0.00 ppb 70 ppb	

Onsite Fenceline Monitors

Instrument	Analyte	30-min AEGL Reached?	Concentration Range Detected ^a	24-hr Average a		30-min AEGL	
Station 1							
TAPI Analyzer	H_2S	No	0 – 23 ppb 5.31 ppb		3.08 ppb	600 ppb	
Station 2							
TAPI Analyzer	H_2S	No	1 – 1 ppb	0.75 ppb	1.32 ppb	600 ppb	
Station 3							
TAPI Analyzer	H_2S	No	0 – 1 ppb 0.25 ppb 1.12 pp		1.12 ppb	600 ppb	

^a Based on 30-minute averages.

Notes:

ATSDR MRL Agency for Toxic Substances and Disease Registry Minimal Risk Level (MRL)

AEGL EPA Acute Exposure Guidelines Levels


H₂S Hydrogen Sulfide


TAPI Teledyne API H₂S Analyzer

hr Hour
min Minute
ppb Parts per billion

MRL Limit Limit defined as a 14-day average value.

Station 1 Wind Rose – Shows the direction the wind is coming from, the monitoring station being at the center of the rose.





Legend



Offsite Fixed Monitoring Locations



Onsite Fixed Monitoring Locations



New-Indy Catawba


Period H₂S Monitoring Hydrogen Sulfide Offsite Monitors

Below are graphs for offsite locations where hydrogen sulfide (H₂S) was detected during the current reporting period.


The five stand-alone H₂S monitoring stations correlate with five previous EPA's Viper monitoring system which includes areas to the north-northeast and south-southwest of the New-Indy Catawba Mill.

Winds were predominantly coming from the north-northeast and northeast direction throughout the day at 1 to 18 mph.


See wind rose diagram with aerial map figure for full wind data during this reporting period.




Treetops - 2/5/2024




Liberty Hill - 2/5/2024



Riverchase - 2/5/2024



Millstone Creek - 2/5/2024




Period H₂S Monitoring Hydrogen Sulfide Onsite Monitors


Below are graphs for onsite locations during the current reporting period.


Depending on wind direction, the H_2S measured at the onsite fence line locations may not exit the mill property at reported concentrations. Wind directions from offsite locations, blowing onto mill property, will disperse ambient concentrations to lower levels prior to exiting the plant site.

Winds were predominantly coming from the north-northeast and northeast direction throughout the day at 1 to 18 mph.

See wind rose diagram with aerial map figure for full wind data during this reporting period.







Submitted Fenceline H_2S and Met 30-minute Data

	Station 1		Station 2			Station 3			
30-Minute Avgs	H2S Met		H2S Met		H2S Met				
2/5/2224	20 : 4 20 : 4 24		20 : 4	20 : 4	30min Avg 30min Avg		20 : 4	30min Avg 30min Avg	
2/5/2024	30min Avg H2S Conc.	WS WS	30min Avg WD	30min Avg H2S Conc.	WS	WD WD	30min Avg H2S Conc.	WS	WD WD
Date / Time	ppb	mph	degrees	ppb	mph	degrees	ppb	mph	degrees
2/5/2024 0:30	AX	11.7	37	0.7	2.6	54	0.2	4.5	44
2/5/2024 1:00	0.9	11.7	39	AX	2.0	53	0.2	3.7	38
2/5/2024 1:30	0.9	11.5	38	1.0	2.9	54	AX	3.6	40
2/5/2024 2:00	1.0	11.5	39	0.8	3.1	52	0.2	4.1	38
2/5/2024 2:30	3.0	12.3	33	0.7	3.0	46	0.2	3.9	32
2/5/2024 2:30	2.6	11.3	34	0.7	2.5	48	0.2	3.6	35
2/5/2024 3:30	3.5	12.6	27	0.7	2.7	40	0.2	4.3	28
2/5/2024 4:00	4.9	11.5	30	0.7	2.6	43	0.2	4.1	26
2/5/2024 4:30	3.6	8.4	33	0.7	1.9	44	0.2	3.1	35
2/5/2024 5:00	5.8	10.9	27	0.7	2.0	41	0.2	3.3	29
2/5/2024 5:30	22.5	12.2	24	0.9	3.0	34	0.2	3.8	28
2/5/2024 6:00	4.8	12.5	28	0.9	3.0	47	0.2	4.3	34
2/5/2024 6:30	5.2	10.6	29	0.7	3.0	49	0.2	4.3	32
2/5/2024 7:00	3.2	11.7	26	0.7	3.0	48	0.2	4.5	30
2/5/2024 7:30	6.8	11.8	28	0.7	3.3	40	0.2	4.3	25
2/5/2024 8:00	10.3	13.9	26	0.7	2.8	45	0.2	4.7	29
2/5/2024 8:30	4.4	14.7	28	0.7	3.2	51	0.2	5.3	34
2/5/2024 9:00	4.4	16.2	30	0.7	3.8	45	0.2	5.5	39
2/5/2024 9:30	2.8	17.3	29	0.7	5.1	38	0.4	6.9	41
2/5/2024 10:00	2.3	15.0	30	0.8	4.6	48	0.7	5.8	31
2/5/2024 10:30	3.1	16.3	29	1.0	5.4	45	0.8	6.5	28
2/5/2024 10:30	1.3	18.3	34	1.0	6.2	45	0.8	6.4	34
2/5/2024 11:30	4.6	18.1	35	0.9	5.6	60	0.2	7.5	37
2/5/2024 11:30	3.5	17.4	35	0.9	6.0	43	0.2	6.5	37
2/5/2024 12:30	2.3	16.4	33	0.7	5.2	41	0.2	6.4	32
2/5/2024 13:00	4.1	15.7	30	0.7	5.1	38	0.2	6.8	45
2/5/2024 13:30	1.8	13.7	31	0.7	4.5	35	0.2	5.2	45
2/5/2024 14:00	3.0	12.5	26	0.6	4.9	40	0.2	6.0	35
2/5/2024 14:30	4.5	12.6	36	0.6	4.9	47	0.2	5.8	43
2/5/2024 15:00	2.9	13.0	35	0.6	4.2	49	0.2	6.0	43
2/5/2024 15:30	1.6	15.4	41	0.6	4.2	59	0.2	5.7	43
2/5/2024 16:00	1.9	12.0	34	0.6	4.1	43	0.2	5.2	43
2/5/2024 16:30	4.1	14.5	29	0.6	4.7	36	0.2	5.6	43
2/5/2024 17:00	2.7	13.3	28	0.7	3.3	42	0.2	4.3	39
2/5/2024 17:30	2.7	10.7	32	0.7	2.9	51	0.2	3.2	44
2/5/2024 17:30	1.4	8.4	41	0.7	2.0	63	0.2	3.1	49
2/5/2024 18:30	0.2	5.5	47	0.8	1.0	70	0.2	2.0	37
2/5/2024 19:00	2.4	2.6	47	0.8	0.7	52	0.2	0.9	27
2/5/2024 19:30	1.0	1.2	102	0.7	0.6	26	0.2	0.6	28
2/5/2024 20:00	4.9	1.0	75	0.6	0.0	39	0.2	0.4	0
2/5/2024 20:30	5.0	1.0	95	0.7	1.0	41	0.2	0.4	22
2/5/2024 21:00	5.9	1.0	172	0.6	0.8	35	0.2	0.4	331
2/5/2024 21:30	5.7	1.3	152	0.8	1.0	48	0.2	0.4	35
2/5/2024 22:00	10.2	1.0	143	0.7	0.9	34	0.2	0.3	352
2/5/2024 22:30	19.8	1.4	212	0.8	0.6	27	0.2	0.4	344
2/5/2024 23:00	21.8	1.4	179	1.0	0.8	49	0.2	0.6	171
2/5/2024 23:30	21.4	2.2	71	0.8	1.9	57	0.2	1.1	336
2/6/2024 0:00	13.5	3.1	55	0.7	1.8	50	0.4	0.9	360

AQS Null Data Codes				
Qualifier Code	Item Description			
AB	TECHNICIAN UNAVAILABLE			
AC	CONSTRUCTION/REPAIRS IN AREA			
AD	SHELTER STORM DAMAGE			
AE	SHELTER TEMPERATURE OUTSIDE LIMITS			
AI	INSUFFICIENT DATA (CAN'T CALCULATE)			
AM	MISCELLANEOUS VOID			
AN	MACHINE MALFUNCTION			
AO	BAD WEATHER			
AP	VANDALISM			
AS	POOR QUALITY ASSURANCE RESULTS			
AT	CALIBRATION			
AU	MONITORING WAIVED			
AV	POWER FAILURE (POWR)			
AW	WILDLIFE DAMAGE			
AX	PRECISION CHECK (PREC)			
AY	Q C CONTROL POINTS (ZERO/SPAN)			
AZ	Q C AUDIT (AUDT)			
BA	MAINTENANCE/ROUTINE REPAIRS			
BB	UNABLE TO REACH SITE			
BC	MULTI-POINT CALIBRATION			
BD	AUTO CALIBRATION			
BE	BUILDING/SITE REPAIR			
BF	PRECISION/ZERO/SPAN			
BJ	OPERATOR ERROR			
BK	SITE COMPUTER/DATA LOGGER DOWN			
EC	EXCEED CRITICAL CRITERIA			